



OmniUpdate Training Tuesday

LDP Forms and Advanced Attributes



Presented By:
Barbara McQuillan
Software Trainer

WebEx Event # **866-779-989**

Audio will be heard on your computer speakers.

If you do not have working computer speakers,
call 1-408-792-6300.

Enter event number and attendee ID
or press # if no attendee ID.

Webcast will start at the top of the hour.



AGENDA

- Advanced Attributes
 - Available LDP Attributes
- Attributes for Textbox Elements
- Attributes for Multiple Choice Elements
- Attributes for Any Element Type
- Attributes for the Form



LDP ATTRIBUTES

- Advanced Attributes
 - `/_resources/xsl/_shared/forms.xsl`
- Note: your implementation's CSS may influence the appearance of form fields using Advanced Attributes



ATTRIBUTES FOR TEXTBOX ELEMENTS

size=number;

- changes the width of a single-line text field

rows=number;

- changes the height of a multi-line text field

cols=number;

- changes the width of a multi-line text field



ATTRIBUTES FOR MULTIPLE CHOICE ELEMENTS

dataset=datasetname;

- Uses a predefined dataset to populate values in checkboxes, radio buttons, drop down, or multi-select

- Predefined Datasets

/_resources/xsl/_shared/datasets.xsl

- Creating New Datasets

- Copy the entire <xsl:when> node
- Rename the dataset
- Options are comma separated without a space
 - Appear in the order they are typed
 - Want to create a default option?

OptionName_D_



ATTRIBUTES FOR ANY ELEMENT TYPE

fieldset_start=true;

fieldset_label=labelname;

fieldset_end=true;

- creates a subgroup of form elements
- fieldset_label must be on the same element as fieldset_start



ATTRIBUTES FOR ANY ELEMENT TYPE

row_start=true;

row_col_count=number;

row_end=true;

- creates multiple columns of form elements
- row_col_count must appear for every element in the row
- column number must be defined in forms.xsl



ATTRIBUTES FOR ANY ELEMENT TYPE

addclass=classname;

- adds a class to a form element
- class must be predefined in CSS



ATTRIBUTES FOR THE FORM

submit_btn_classes=classname;

- applies a class to the Submit button
- class must be predefined in CSS

reset_btn_classes=classname;

- applies a class to the Clear button
- class must be predefined in CSS



ATTRIBUTES FOR THE FORM

form_classes=classname;

- applies a class to the form node
- class must be predefined in CSS



NEXT TRAINING TUESDAY

Next month's Training Tuesday will be held on **NOVEMBER 27TH**.

We'll be covering the topic of **THIRD-PARTY SCRIPTS**.

Be sure to visit the OCN or Support Site
for further details!

<http://ocn.omniupdate.com>

<http://support.omniupdate.com>



Thank you!

